



Fortify™ 30-20

An advanced zero nitrogen potassium phosphite designed for use in all fruit and vegetable crops.

Fortify 30 -20 is created without the need for ammonia stabilisation making it ideal for use as an irrigated or foliar applied potassium and phosphorus fertiliser.

Guaranteed Analysis

	w/w
Phosphorus (P ₂ O ₅)	30.0%
Potassium (K ₂ O)	20.0%

Crops

Vine crops, root vegetables, brassicas, legumes, stone fruit, top fruit, soft fruit and ornamentals.

Directions for Use

Fortify 30-20 is known to aid phloem mobility, root function and stimulate root initiation. Avoid spraying in temperatures above 30°C. Apply 2.0-4.0 litres per Ha 400-800 litres of water for optimum coverage and in a minimum of 200 litres.

Compatibility

Fortify 30-20 is compatible with most known fertilisers and pesticides but it is advisable to conduct a jar test with new mixes or products. It is not advisable to mix Fortify 30-20 to concentrated calcium containing fertilisers in a pre-mix tank unless they are chelated products such as Bio-Chel Ca.

Precautions

Irritating to eyes. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye / face protection when handling concentrate.

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with contents or used container.

STORE IN ORIGINAL CONTAINER tightly closed, in a safe place. **WASH OUT CONTAINER THOROUGHLY** and dispose of safely.

KEEP OUT OF THE REACH OF CHILDREN. Always read the label before use.



Crop Timings and Application Rates

Crop	No of Applications	Timings	Rate litres per ha
Cereals	3-4	Apply at flag leaf stage and repeat every 14 days or at first signs of increased biotic pressure	0.8-1.5
Oilseed Rape	3-4	Apply at first signs of Inflorescence emergence or during periods of biotic pressure	0.8-1.5
Brassicas	3-4	Apply at head formation and repeat every 14-21 days	1.0-2.0
Leafy Salads	2-3	As required from tissue analysis. Repeat at 10-14 day intervals	2.0
Potatoes	2-3	As required from tuber initiation. Repeat as necessary at 10-14 day intervals	2.0
Legumes	3-4	From 10-15cm stem height	1.0
Tree Fruit	2-3	Apply from petal fall at 14 day intervals and repeat as necessary depending upon growing conditions.	2.0-3.0
Soft Fruit	8-9	Apply via irrigation from planting in feed solution throughout the growing season every 7 days.	4.0
Ornamentals	8-9	Apply via irrigation in feed solution throughout the growing season every 7-14 days, or foliarly every 14 days as required.	2.0-4.0

For more detailed application rates and timings for specific crops please contact your Engage advisor. Always read the label before use.

Visit: engagecropsolutions.com

200 litres e