



A unique polymer chelate of specific micronutrients designed to maximise nutrient transport and efficiency to support strong crop physiology.

## **Guaranteed Analysis**

Zinc (Zn)	w/v 4.0%	<b>g/l</b> 40	
Copper (Cu)	2.0%	20	
Cobalt (Co)	0.08%	0.8	

### **Crops**

Vegetables, salad crops, fruit and ornamentals.

### **Directions for Use**

Application rates will vary depending upon crop. Avoid spraying in sunlight hours if air temperature is above 30°C or in full sun.

Apply in 400-800 litres of water.

## Compatibility

Fortify XD is compatible with most known fertilisers and pesticides but it is advisable to conduct a jar test with new mixes or products.

It is not advisable to mix Fortify XD with concentrated fertilisers and pesticides together as a pre-mix.

Fortify XD is acidic in nature and will reduce water pH. It is not neceassary to add other water softening agents or pH reducing agents.

It is advisable when using Fortify XD for the first time that tank mix pH is tested prior to application and a test plot be sprayed to assess crop sensitivity.



### **Crop Timings and Application Rates**

Crops	No of applicati	ons Timings I	Rate litres per ha	
Cereals	As required	As necessary from 2-6 leaf stage to GS32	2.0-4.0	
🈚 Sugar beet	2	<b>1st</b> 4-6 leaf stage <b>2nd</b> 8-12 leaf stage	2.0-4.0	
Brassicas	1-2	Apply only where known deficiency exists	2.0-3.0	
Leafy salads	As required	As required from tissue analysis. Repeat at 10-14 day intervals	1.0-2.0	•
Potatoes Root Crops	As required	As required from tissue analysis. Repeat at 10-14 day intervals	2.0-3.0	
Legumes	As required	Repeat as necessary at 14 day spray intervals	2.0-3.0	
🕙 Top fruit	As required	Apply in 400-800 litres of water depending upor size. Apply after petal fall repeat at 10-14 day int	tree 2.0-3.0	
© Citrus	3-6	Apply in 400-800 litres of water depending upor size. Repeat in line with growth flushes every 3 m		
Soft fruit	2-4	As required from tissue analysis. Repeat at 10-14 day intervals	1.0-2.0	
Ornamentals	As required	As required from tissue analysis. Repeat at 10-14 day intervals	1.0-2.0	

### Warning

➤ Harmful if swallowed · Causes severe skin burns and eye damage. > Very toxic to aquatic life with long lasting effects. > Do not breath mist /spray. > Wash thoroughly after handling concentrate. > Do not eat, drink or smoke when using this product. · Avoid release to the environment > Wear protective clothing, eye protection and face protection. > IF SWALLOWED call a poisons centre if you feel unwell. > Rinse mouth well and DO NOT induce vomiting. > IF ON SKIN or hair. Remove all contaminated clothing and rinse with clean water/shower. > IF INHALED remove person to fresh air and keep comfortable for breathing. > IF IN EYES Rinse cautiously with clean water for several minutes. Remove contact lenses if present and continue rinsing. And call medical centre /doctor

#### Precautions/Personal Protection

Eye/Face Protection: Wear chemical safety goggles. Wear a face shield where splashing is possible. Skin Protection: Wear impervious gloves, boots and chemical protective clothing. Remove any contaminated clothing and wash before re-use. Respiratory Protection: Where exposure to mists/aerosols of this material is not adequately controlled, wear suitable personal protective equipment. Storage: Store in original container and keep closed when not in use and when empty. Protect from freezing. Protect from damage. Dispose of contents/container in accordance with relevant national, regional and local environmental control provisions. Dispose of container safely. Collect any spillage with non-combustible, inert absorbent materials.

#### KEEP OUT OF REACH OF CHILDREN.

Please fully read this label and shake well before use.





Feb24





A unique polymer chelate of specific micronutrients designed to maximise nutrient transport and efficiency to support strong crop physiology.

# **Guaranteed Analysis**

	w/v	g/l
Zinc (Zn)	4.0%	40
Copper (Cu)	2.0%	20
Cobalt (Co)	0.08%	0.8

# **Crops**

Vegetables, salad crops, fruit and ornamentals.

## **Directions for Use**

Application rates will vary depending upon crop. Avoid spraying in sunlight hours if air temperature is above 30°C or in full sun. Apply in 400-800 litres of water.

# Compatibility

Fortify XD is compatible with most known fertilisers and pesticides but it is advisable to conduct a jar test with new mixes or products.

It is not advisable to mix Fortify XD with concentrated fertilisers and pesticides together as a pre-mix.

Fortify XD is acidic in nature and will reduce water pH. It is not neceassary to add other water softening agents or pH reducing agents.

It is advisable when using Fortify XD for the first time that tank mix pH is tested prior to application and a test plot be sprayed to assess crop sensitivity.



Unit 5 | Town Lane Industrial Estate | Town Lane | Charnock Richard | Chorley | PR7 5XG t: + 44 (0) 1257 226590 e: info@engagecropsolutions.com

engagecropsolutions.com